

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/475,544	12/30/1999	MICHAEL PUTNAM	PGI6044P0020	6475	
32116	7590 05/03/2004		EXAMINER		
WOOD, PHILLIPS, KATZ, CLARK & MORTIMER			TORRES VELAZQUEZ, NORCA LIZ		
500 W. MADI SUITE 3800	500 W. MADISON STREET SUITE 3800			PAPER NUMBER	
CHICAGO, IL 60661			1771		
			DATE MAILED: 05/03/200	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

•		Applicati	n No.	Applicant(s)				
Office Action Summary		09/475,54	14	PUTNAM ET AL.				
		Examiner		Art Unit				
		Norca L. 7	orres-Velazquez	1771				
Th MA Peri d for Reply	ILING DATE of this communic	ation appears on the	cover sheet with th	e correspondence addre	ss			
A SHORTENE THE MAILING - Extensions of time after SIX (6) MON - If the period for re - If NO period for re - Failure to reply wi Any reply received	D STATUTORY PERIOD FO DATE OF THIS COMMUNIC a may be available under the provisions of THS from the mailing date of this community ply specified above is less than thirty (30) ply is specified above, the maximum statuth thin the set or extended period for reply with the office later than three months after an adjustment. See 37 CFR 1.704(b).	ATION. 37 CFR 1.136(a). In no evinication. days, a reply within the statitory period will apply and will, by statute, cause the app	ent, however, may a reply b utory minimum of thirty (30) Il expire SIX (6) MONTHS f ication to become ABANDO	e timely filed days will be considered timely. rom the mailing date of this commi NED (35 U.S.C. § 133).	unication.			
Status								
1) Respons	sive to communication(s) filed	on 27 January 200	4 .					
2a)⊠ This acti) ☐ This action is n						
·	,—							
closed in	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disp sition of Cla	aims							
4a) Of the 5)⊠ Claim(s) 6)⊠ Claim(s) 7)□ Claim(s)	1,2,4 and 6-92 is/are pending e above claim(s) 14-44 and 5 45 and 46 is/are allowed. 1,2,4,6,7,9-13,47-51 and 76- is/are objected to. are subject to restriction	<u>2-75</u> is/are withdrav <u>92</u> is/are rejected.		on.				
Application Pape	rs							
9)☐ The spec	ification is objected to by the	Examiner.						
10)∐ The draw	ring(s) filed on is/are: a	a) accepted or b)	\square objected to by th	ne Examiner.				
	may not request that any objecti							
•	nent drawing sheet(s) including the or declaration is objected to the control of							
Pri rity under 35	U.S.C. § 119							
a)⊠ All b 1.⊠ Ce 2.⊟ Ce 3.⊟ Ce ap	edgment is made of a claim for	ocuments have bee ocuments have bee f the priority docume al Bureau (PCT Rul	n received. n received in Applic ents have been rece e 17.2(a)).	cation No eived in this National Sta	ige			
Attachment(s)			_					
1) Notice of Refere		0.048)	4) Interview Summ Paper No(s)/Mai					
	person's Patent Drawing Revi w (PTo dosure Statement(s) (PTO-1449 or P I Date			al Patent Application (PTO-15	2)			

Response to Arguments

DETAILED ACTION

1. Applicant's amendment and arguments filed January 27, 2004 have been entered and

fully considered but they are not persuasive.

a. Applicants argue that those skilled in the art do not consider hydroentanglement

and needlepunching processes to be equivalent since needlepunching will cause damage

to fiber/filament.

The Examiner clarifies that both hydroentanglement and needlepunching provide

mechanical means to produce a nonwoven by entangling the fibers. Applicant's

arguments include literature that supports Applicant's position that there are differences

between the nonwovens produced by needlepunching and hydroentanglement, in which

needlepunched nonwovens are typically stronger and heavier than other nonwoven

products. The Examiner maintains her position that both hydroentanglement and

needlepunching provide equivalent mechanical means to produce a nonwoven, however,

depending on the final use or properties desired in the product one would be preferred

over the other. Applicants submitted literature further provides motivation to use

hydroentanglement over needlepunching to produce fabrics that compete directly with

needlepunched nonwovens. One of ordinary skill in the art would be motivated to use

hydroentanglement over needlepunching because hydroentanglement has quicker line

speeds and is able to keep the fibers from damage. (As disclosed in literature provided by

Applicants from NonwovensIndustry.com).

Application/Control Number: 09/475,544

Art Unit: 1771

b. With regards to the Kelly et al. reference, applicants argue the Kelly et al. reference contemplate fabric formation "by hydroentanglement, the activation of thermally activatable fibers, or the use of a bonding agent", and that there is simply no suggestion whatsoever in this reference of initially effecting thermal bonding, and subsequently effecting hydroentanglement, as claimed.

It is noted that Kelly et al. teaches the use of hydroentanglement in addition to one of the methods of bonding refer above by Applicants. (Page 5, lines 5-11 of Kelly et al.)

2. Applicant's arguments, see page 15 of amendment, filed January 27, 2004, with respect to the elongation values presently claimed have been fully considered and are persuasive. The 35 U.S.C. 103(a) rejections of claims 8, 13, 45 and 46 have been withdrawn.

Claim Rejections - 35 USC § 103

- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 4. Claims 1-2, 4, 9-12 and 47-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over DORSCHNER et al. (US 3,692,618) in view of KUSUNOSE et al. (US 4,107,374).

DORSCHNER et al. teach the formation of a nonwoven web suitable for the production of textile-like or paper-like sheet material. The nonwoven web is formed by simultaneously spinning a multiple number of continuous filaments of a synthetic polymer. The filaments as they are spun are gathered into a straight row of side-by-side, evenly spaced apart, untwisted bundles each containing at least 15 and preferably from 50 to 150 filaments. The reference further teaches that the gathering of the filaments into the bundles and their drawing and directing to impinge on the carrier is preferably effected by passing the bundles through air guns

Application/Control Number: 09/475,544

Art Unit: 1771

which surround the filaments with a column or jet of air which is directed downward at supersonic velocity. The filament bundles containing a number of parallel filaments are laid down on the carrier in a loop-like arrangement with primary loops extending back and forth across the width of a section defined by the impingement of the air column from one air gun on the carrier. (Column 3, lines 28-62)

The reference further teaches the use of polymeric fibers made of thermoplastic polymer capable of forming a melt, which can be spun, such as polyolefins, polyester and polyamides. (Column 4, lines 1-14). DORSCHNER et al. further teaches that the filaments produced by the spinning apparatus are preferably drawn to a thickness of from about 10 to 50 microns and are thus in the textile denier range, e.g., the filaments may have denier values of from about 1 to 20, although lower or higher denier filaments may be used depending on the end product to be formed. In forming a nonwoven web suitable for the production of textile-like sheet material, filaments of from 1 to 10 denier would be used. The drawn filaments generally have an elongation at break above 80%. (Column 4, lines 40-54) On Examples 3 and 4, the reference discloses webs with basis weight of 100 grams/m². (Columns 13 and 14).

Regarding the claimed ranges for the limitations of fiber entanglement frequency, fiber entanglement completeness value and fiber interlock value the ranges are broad and encompass typical values that are found in the prior art. Further each of the elements are recognized as result effective variables in this field of endeavor and it has been held that discovering optimum values would have been obvious as optimization of result effective variables involves only routine experimentation. Regarding claims 47-51, it is well settled that the mere duplication of

Application/Control Number: 09/475,544

Art Unit: 1771

parts has no patentable significance unless a new and unexpected result is produced. In re Harza, 124 USPQ 378 (CCPA 1960).

While Dorscher et al. teaches needling of the web after is laid down (Column 10, lines 28-31); it fails to teach the use of hydroentanglement.

KUSUNOSE et al. discloses a nonwoven fabric usable as a substratum sheet for artificial leather that comprises numerous fibrous bundles entangled with each other to form the body of the nonwoven fabric. (Refer to claim 1). The reference further teaches that when the filament bundles are in the form of continuous filaments, they can be massed into a flat sheet form by being randomly accumulated on a wire net. This accumulating operation may be effected by ejecting the filament bundles together with a jet of a fluid, into the wire net. By the action of the jets of fluid, the fibrous bundles are mutually entangled and intertwined. (Column 4, lines 34-68) It is the Examiner's position that the fibrous bundles taught by KUSUNOSE et al. read on the present meshed coils and loops.

DORSCHNER et al. discloses the claimed invention except that it uses needling instead of hydroentanglement, KUSUNOSE et al. show that hydroentanglement is an equivalent process known in the art that provides mechanical means to produce the nonwoven. Therefore, because these two processes were art-recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to substitute the needling process for hydroentanglement of the filaments to form the nonwoven fabric with the motivation of entangling and intertwining the fibrous bundles by the action of the jets of fluid, as disclosed by KUSUNOSE et al. (Column 4, lines 64-68). Further, also motivated by the fact that hydroentanglement has quicker line speeds and is able to keep the fibers from damage. (As

disclosed in literature provided by Applicants from NonwovensIndustry.com, Refer to response to arguments above).

Claims 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over 4. DORSCHNER et al. (US 3,692,618) in view of KUSUNOSE et al. (US 4,107,374) as applied to claims 1-2, 4, 9-12 and 47-51 above, and further in view of SUSKIND et al. (US Patent 4,808,467).

The references fail to teach the use of a surface treatment and also fail to teach the use of their fabrics in articles such as medical apparel.

SUSKIND et al. discloses a spunlaced fabric suitable for disposable medical applications that is produced by hydraulically entangling wood pulp and staple fibers with a continuous filament base web producing a nonapertured high strength fabric, and treating the fabric with a fluorocarbon water repellant. (Column 1, lines 12-17).

The reference teaches the use of polyethylene, polypropylene, polyester and nylon as polymers from which the continuous filaments are made. (Column 3, lines 7-11).

Since DORSCHNER et al., KUSUNOSE et al. and SUSKIND et al. from the same field of endeavor, the purpose disclosed by SUSKIND et al. would have been recognized in the pertinent art of DORSCHNER et al. and KUSUNOSE et al.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the nonwoven fabric and provide it with a fluorocarbon water repellant with the motivation of using it as a disposable medical fabric as disclosed by SUSKIND et al. above.

Application/Control Number: 09/475,544 Page 7

Art Unit: 1771

5. Claims 76-92 are rejected under 35 U.S.C. 103(a) as being unpatentable over DORSCHNER et al. and KUSUNOSE et al. (US 4,107,374) as applied to claim 1 above, and further in view of KELLY et al. (WO 96/13071).

DORSCHNER and KUSUNOSE fail to teach the bonding of the multicomponent fibers prior to hydroentanglement.

KELLY et al. discloses a non-woven fabric material that exhibits good strength. Preferred embodiments of material are described, in which the material is bonded, for example by hydroentanglement, the activation of thermally activatable fibers, or the use of a bonding agent. (Abstract). The reference further teaches that dry laid fibers can be bonded using a bonding agent, and alternatively or additionally, the dry laid fibers can be bonded by hydroentanglement. (Page 5, lines 5-11)

Since KELLY et al. is also directed to nonwoven fabrics, the purpose disclosed by KELLY et al. would have been recognized in the pertinent art of DORSCHNER et al. and KUSUNOSE et al.

Therefore, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the nonwoven web and provide with bonding prior to hydroentanglement with the motivation of producing a material that exhibits good strength as disclosed by KELLY et al. (Abstract)

Double Patenting

6. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686

F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

7. Claims 1-2, 4 and 6-13 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-4 and 6-13 of copending Application No. 09/287,673. Although the conflicting claims are not identical, they are not patentably distinct from each other because the cross machine elongation property claimed in the present application would have been an obvious property once the hydroentangled nonwoven is provided.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Allowable Subject Matter

- 5. Claims 45 and 46 are allowed.
- 6. The following is a statement of reasons for the indication of allowable subject matter: the prior art of record fails to teach a hydroentangled nonwoven fabric of the present invention that particularly has a machine direction elongation values of at least 75% and a cross-direction elongation value of at least 90%.
- 7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 09/475,544 Page 9

Art Unit: 1771

final action.

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Norca L. Torres-Velazquez whose telephone number is 571-272-1484. The examiner can normally be reached on Monday-Thursday 8:00-4:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on 571-272-1478. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Norca L. Torres-Velazquez Examiner Art Unit 1771

April 26, 2004

ELIZABETH M. COLE PRIMARY EXAMINER

ligher molo